

United States Patent and Trademark Office

UNITEDISTATES BEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS 16- Bol 1450 Alexantia, Missina 22313-1450 www.ushu.cov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.	
10/019,012	12/26/2001	Robert John Briscoe	36-1518	5924	
23117	7590 05/16/2006		EXAMINER		
NIXON & VANDERHYE, PC 901 NORTH GLEBE ROAD, 11TH FLOOR			BAUM, RONALD		
ARLINGTON		LOOK	ART UNIT	PAPER NUMBER	
			2136		
			DATE MAILED: 05/16/2004	DATE MAILED: 05/16/2006	

Please find below and/or attached an Office communication concerning this application or proceeding.

		A	Application No. Applicant(s)				
Office Action Commence			10/019,012	BRISCOE, ROBE	BRISCOE, ROBERT JOHN		
Office Action Summary		E	xaminer	Art Unit			
		R	lonald Baum	2136			
<i>TI</i> Period for R	ne MAILING DATE of this communicately	ation appea	rs on the cover sheet	with the correspondence a	ddress		
WHICHE - Extensions after SIX (- If NO perio - Failure to Any reply	TENED STATUTORY PERIOD FO VER IS LONGER, FROM THE MA s of time may be available under the provisions of 6) MONTHS from the mailing date of this commur dd for reply is specified above, the maximum statu reply within the set or extended period for reply wi received by the Office later than three months after tent term adjustment. See 37 CFR 1.704(b).	ILING DATI 37 CFR 1.136(a nication. tory period will a II, by statute, cau	E OF THIS COMMUNION.). In no event, however, may apply and will expire SIX (6) Muse the application to become	NICATION. a reply be timely filed ONTHS from the mailing date of this of ABANDONED (35 U.S.C. § 133).			
Status							
1)⊠ Re:	sponsive to communication(s) filed	on 01 Marc	sh 2006				
•			tion is non-final.				
· <u></u>		•—		atters, prosecution as to th	e merits is		
•	3) Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under <i>Ex parte Quayle</i> , 1935 C.D. 11, 453 O.G. 213.						
Disposition	·		, ,				
<u> </u>	im(s) 1-25 is/are pending in the ap	nlication					
,	Of the above claim(s) is/are		from consideration				
	im(s) is/are allowed.	williarawii	morn consideration.				
·	im(s) <u>1-25</u> is/are rejected.						
	im(s) is/are objected to.						
	im(s) are subject to restriction	on and/or el	ection requirement				
O)	are subject to restrict	on and/or c	collor requirement.				
Application	Papers						
9)[] The	specification is objected to by the	Examiner.					
10) The	drawing(s) filed on is/are: a	a) accept	ed or b) objected	to by the Examiner.			
App	olicant may not request that any objecti	on to the dra	wing(s) be held in abey	vance. See 37 CFR 1.85(a).			
Rep	placement drawing sheet(s) including the	ne correction	is required if the drawi	ng(s) is objected to. See 37 C	CFR 1.121(d).		
11) <u></u> The	oath or declaration is objected to b	y the Exam	niner. Note the attach	ned Office Action or form P	TO-152.		
Priority unde	er 35 U.S.C. § 119						
•	nowledgment is made of a claim fo II b)☐ Some * c)☐ None of:	r foreign pr	iority under 35 U.S.C	. § 119(a)-(d) or (f).			
1.[
2.[Certified copies of the priority de	ocuments h	ave been received in	Application No			
3.[Copies of the certified copies of	the priority	documents have been	en received in this Nationa	l Stage		
	application from the International	•	, ,,				
* See	the attached detailed Office action	for a list of	the certified copies n	ot received.			
Attachment(s)							
	References Cited (PTO-892)			w Summary (PTO-413)			
	Draftsperson's Patent Drawing Review (PT0 on Disclosure Statement(s) (PTO-1449 or P			lo(s)/Mail Date of Informal Patent Application (PT	·O-152\		
	on Disclosure Statement(s) (PTO-1449 or P (s)/Mail Date <u>05092006</u> .	10/38/08)	6) Other: _		0 1021		

Art Unit: 2136

DETAILED ACTION

1. This action is in reply to applicant's correspondence of 01 March 2006.

- 2. Claims 1-25 are pending for examination.
- 3. Claims 1-25 remain rejected.

Claim Rejections - 35 USC § 102

The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

- (b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.
- 4. Claims 1-25 are rejected under 35 U.S.C. 102(b) as being anticipated by Kambayashi et al, U.S. Patent 6,477,649 B2.
- 5. As per claim 1; "A method of distributing data comprising:
 - (a) encrypting a plurality of data units each with

one of a sequence of keys [figures 111-140 and associated descriptions, whereas the use of a seed/key based cryptographic security/licensing information content recording/distribution/reproduction apparatus and associated method where the multimedia content clearly is formatted in a plurality of data units, and encryption at a per key per unit information, clearly encompasses the claimed limitations as broadly interpreted by the examiner.];

(b) communicating encrypted data units to

a plurality of user terminals [figures 111-140 and associated descriptions, whereas the use of a seed/key based cryptographic security/licensing information content recording/distribution/reproduction apparatus and associated method such that content is broadcast to reception terminals, clearly encompasses the claimed limitations as broadly interpreted by the examiner.];

Page 3

(c) communicating at least one seed value to

a user terminal [figures 111-140 and associated descriptions, whereas the use of a seed/key based cryptographic security/licensing information content recording/distribution/reproduction apparatus and associated method such that cryptographic key generation/regeneration information (i.e., the key seed) is broadcast to reception terminals, clearly encompasses the claimed limitations as broadly interpreted by the examiner.];

(d) generating from the seed value or values

a sequence of keys greater in number than

the number of seed values communicated to the user terminal [figures 111-140 and associated descriptions, whereas the use of a seed/key based cryptographic security/licensing information content recording/distribution/reproduction apparatus and associated method such that cryptographic key regeneration via the key seed at the reception terminals is clearly greater than the number of seed(s), and clearly encompasses the claimed limitations as broadly interpreted by the examiner.]; and

(e) decrypting data units at the user terminal using

the said sequence of keys, characterized

in that in step (d) a sequence of keys constituting an arbitrarily doubly bounded portion of the sequence of keys of step (a) is generated, and

in that the position in sequence of the lower and upper bounds of the said portion are determined by the at least one seed value communicated in step (c) [figures 111-140 and associated descriptions, whereas the use of a seed/key based cryptographic security/licensing information content recording/distribution/reproduction apparatus and associated method such that cryptographic key regeneration via the key seed at the reception terminals is such that the inclusive user/content identification/licensing information as applied to the seed key regeneration clearly produces a user terminal subset of the entire key space, and clearly encompasses the claimed limitations as broadly interpreted by the examiner.]."

- 6. Claim 2 additionally recites the limitation that, "A method according to claim 1, in which the sequence of keys used in step (a) is generated by:
 - operating on one or more initial seed values and
 generating a greater number of intermediate seed values, which intermediate seed values
 blind the initial seed values:
 - (b) further
 operating on the values produced by the preceding step and

generating thereby a still greater number of further values, which further values blind the values produced by the preceding step;

(c) iterating step (B) until

the number of values produced is equal to or greater than
the number of keys required for step (a).".

The teachings of Kambayashi et al suggest such limitations (i.e., figures 111-140 and associated descriptions, whereas the use of a seed/key based cryptographic security/licensing information content recording/distribution/reproduction apparatus and associated method such that cryptographic key regeneration via the initial key seed at the reception terminals is a function of multiple cryptographic algorithms, inclusive of hashing (i.e., blinding) functions, whereas the functions are clearly iterative (i.e., figures 134-138) and therefore producing intermediate seeds/keys, and clearly encompasses the claimed limitations as broadly interpreted by the examiner.).

7. Claim 3 additionally recites the limitation that, "A method according to claim 1, in which step (d) includes

combining values derived from

a plurality of different seed values.".

The teachings of Kambayashi et al suggest such limitations (i.e., figures 111-140 and associated descriptions, whereas the use of a seed/key based cryptographic security/licensing information content recording/distribution/reproduction apparatus and associated method such that cryptographic key regeneration via the initial key seed at the reception terminals is a function of

Art Unit: 2136

multiple cryptographic algorithms, inclusive of hashing (i.e., blinding) functions, whereas the functions are clearly iterative (i.e., figures 134-138) and therefore producing intermediate seeds/keys via the plurality of different seed values, and clearly encompasses the claimed limitations as broadly interpreted by the examiner.).

8. Claim 4 additionally recites the limitation that; "A method according to claim 1, in which step (d) includes

operating on

a plurality of seed values with each of

a plurality of different blinding functions.".

The teachings of Kambayashi et al suggest such limitations (i.e., figures 111-140 and associated descriptions, whereas the use of a seed/key based cryptographic security/licensing information content recording/distribution/reproduction apparatus and associated method such that cryptographic key regeneration via the initial key seed at the reception terminals is a function of multiple cryptographic algorithms, inclusive of hashing (i.e., plurality of different blinding functions) functions, whereas the functions are clearly iterative (i.e., figures 134-138) and therefore producing intermediate seeds/keys via the plurality of different seed values, and clearly encompasses the claimed limitations as broadly interpreted by the examiner.).

- 9. Claim 5 *additionally recites* the limitation that; "A method according to claim 4, including:
 - (I) operating on

Application/Control Number: 10/019,012

Art Unit: 2136

at least one root seed value with each of

a set of different blinding functions thereby producing a plurality of further values;

(II) operating with

each of the set of different blinding functions on

the further values produced by

the preceding step or

on values derived therefrom;

(III) iterating step (II) and thereby producing, by the or each iteration,
a next successive layer in a tree of values,

(IV) in step (a), using as the sequence of keys

values derived from the sequence of seeds in one or more of the layers produced by step (III); and

(V) in step (c), communicating to a user terminal

at least one value from within the body of the tree,

the position in the tree of the or each value communicated to the user terminal thereby determining

the position and

extent of the portion of the sequence of keys available to the user for use in decrypting data units.".

The teachings of Kambayashi et al suggest such limitations (i.e., figures 111-140 and associated descriptions, whereas the use of a seed/key based cryptographic security/licensing information

Application/Control Number: 10/019,012

Art Unit: 2136

content recording/distribution/reproduction apparatus and associated method such that cryptographic key regeneration via the initial key seed at the reception terminals is a function of multiple cryptographic algorithms, inclusive of hashing (i.e., plurality of different blinding functions) functions, whereas the functions are clearly iterative (i.e., figures 134-138) and therefore producing intermediate seeds/keys via the plurality of different seed values, and clearly encompasses the claimed limitations as broadly interpreted by the examiner.)

- 10. Claim 6 *additionally recites* the limitation that, "A method according to claim 5 including, in step (1)
 - (i) operating with

the set of different blinding functions on plurality of different seed values

(ii) for each of the different blinding functions, combining

the result of operating with

one blinding function on one of the seed values and the result of operating with

the same or another blinding function on another of the respective seed values, thereby producing

a plurality of further values.".

The teachings of Kambayashi et al suggest such limitations (i.e., figures 111-140 and associated descriptions, whereas the use of a seed/key based cryptographic security/licensing information

Art Unit: 2136

content recording/distribution/reproduction apparatus and associated method such that cryptographic key regeneration via the initial key seed at the reception terminals is a function of multiple cryptographic algorithms, inclusive of hashing (i.e., plurality of different blinding functions) functions, whereas the functions are clearly iterative (i.e., figures 134-138) and therefore producing intermediate seeds/keys via the plurality of different seed values, and clearly encompasses the claimed limitations as broadly interpreted by the examiner.).

- 11. Claim 7 *additionally recites* the limitation that; "A method according to claim 3, in which step (d) includes
 - (I) combining

first and second values derived from respective

first and second blinding function chains, thereby producing

a first next seed or key, the first and second blinding function chains
having different respective seeds

(II) combining

a value derived from

a position in the first chain subsequent to the position of the first value and

a value derived from

a position in the second chain preceding

the position of the second value, thereby producing

a further next seed or key value.".

The teachings of Kambayashi et al suggest such limitations (i.e., figures 111-140 and associated descriptions, whereas the use of a seed/key based cryptographic security/licensing information content recording/distribution/reproduction apparatus and associated method such that cryptographic key regeneration via the initial key seed at the reception terminals is a function of multiple cryptographic algorithms, inclusive of hashing (i.e., plurality of different blinding functions) functions, whereas the functions are clearly iterative (i.e., figures 134-138) and therefore producing intermediate seeds/keys via the plurality of different seed values, and clearly encompasses the claimed limitations as broadly interpreted by the examiner.).

12. Claim 8 *additionally recites* the limitation that; "A method according to claim 7, including

iterating step (II) thereby producing further key values, in each iteration values from positions

subsequent to the previous position in the first chain and preceding the previous position in the second chain being combined.".

The teachings of Kambayashi et al suggest such limitations (i.e., figures 111-140 and associated descriptions, whereas the use of a seed/key based cryptographic security/licensing information content recording/distribution/reproduction apparatus and associated method such that cryptographic key regeneration via the initial key seed at the reception terminals is a function of multiple cryptographic algorithms, inclusive of hashing (i.e., plurality of different blinding functions) functions, whereas the functions are clearly iterative (i.e., figures 134-138) and

therefore producing intermediate seeds/keys via the plurality of different seed values, and clearly encompasses the claimed limitations as broadly interpreted by the examiner.).

13. Claim 9 *additionally recites* the limitation that, "A method according to claim 1 in which the seed values are communicated to

the user terminals, via a communications network.".

The teachings of Kambayashi et al suggest such limitations (i.e., figures 111-140 and associated descriptions, whereas the use of a seed/key based cryptographic security/licensing information content recording/distribution/reproduction apparatus and associated method such that cryptographic key generation/regeneration information (i.e., the key seed) is broadcast to reception terminals over various network configurations, and therefore clearly encompasses the claimed limitations as broadly interpreted by the examiner.).

14. Claim 10 *additionally recites* the limitation that; "A method according to claim 9 in which

the seed values are communicated from

a plurality of key management nodes to customer terminals.".

The teachings of Kambayashi et al suggest such limitations (i.e., figures 111-140 and associated descriptions, whereas the use of a seed/key based cryptographic security/licensing information content recording/distribution/reproduction apparatus and associated method such that cryptographic key generation/regeneration information (i.e., the key seed) is broadcast to reception terminals over various network configurations, inclusive of intermediate nodes (i.e.,

key management server node to customer client terminals), and therefore clearly encompasses the claimed limitations as broadly interpreted by the examiner.).

Claim 14 additionally recites the limitation that; "A method according to claim 1, in which

each encrypted data unit carries

an unencrypted index number to

identify to any receiver which key in the sequence should be used to decrypt that data unit.".

The teachings of Kambayashi et al suggest such limitations (figures 111-140 and associated descriptions, whereas the use of a seed/key based cryptographic security/licensing information content recording/distribution (i.e., unencrypted index information to identify receiver reception terminals)/reproduction apparatus and associated method where the multimedia content clearly is formatted in a plurality of data units, and encryption at a per key per unit information, clearly encompasses the claimed limitations as broadly interpreted by the examiner.).

16. Claim 15 additionally recites the limitation that; "A method according to claim 1 where the seeds required by any receiver to construct the keys for a specific sub-range of the entire key sequence are

communicated in an order that implicitly identifies each seed.".

The teachings of Kambayashi et al suggest such limitations (i.e., figures 111-140 and associated descriptions, whereas the use of a seed/key based cryptographic security/licensing information

content recording/distribution/reproduction apparatus and associated method such that cryptographic key regeneration via the initial key seed at the reception terminals is a function of the licensing/user specific, and therefore destination specific, and implicitly identifying each seed, and clearly encompasses the claimed limitations as broadly interpreted by the examiner.).

17. Claim 16 additionally recites the limitation that; "A method according to claim 1, in which

multiple data senders use the same sequence of keys as each other to encrypt the same or different data units.".

The teachings of Kambayashi et al suggest such limitations (figures 111-140 and associated descriptions, whereas the use of a seed/key based cryptographic security/licensing information (same sequence of keys as each other) content recording/distribution (multiple data senders)/reproduction apparatus and associated method such that content is broadcast to reception terminals, clearly encompasses the claimed limitations as broadly interpreted by the examiner.).

18. Claim 17 additionally recites the limitation that; "A method according to claim 1, in which

each key in the sequence generated from the seeds is used as

an intermediate key to be combined with

another intermediate key or sequence of keys to produce

a sequence of keys to encrypt or decrypt the data units."

The teachings of Kambayashi et al suggest such limitations (figures 111-140 and associated descriptions, whereas the use of a seed/key based cryptographic security/licensing information content recording/distribution/reproduction apparatus and associated method such that cryptographic key generation via the key seed at the source is such that the inclusive user/content identification/licensing information as applied to the seed key generation clearly produces a intermediate key to be combined with iteratively generated intermediate key or sequence of keys, and clearly encompasses the claimed limitations as broadly interpreted by the examiner.).

19. As per claim 22, this claim is the apparatus for the method claim 1 above, and is rejected for the same reasons provided for the claim 1 rejection, as such; "A communications network comprising

means arranged to operate by method in accordance with the method of claim 1.".

20. Claim 23 *additionally recites* the limitation that; "A network according to claim 22, in which

the data is distributed using

a multicast or

broadcast transmission mode.".

The teachings of Kambayashi et al suggest such limitations (figures 111-140 and associated descriptions, whereas the use of a seed/key based cryptographic security/licensing information content recording/distribution/reproduction apparatus and associated method such that content is

Art Unit: 2136

broadcast to reception terminals, clearly encompasses the claimed limitations as broadly interpreted by the examiner.).

21. Claim 24 *additionally recites* the limitation that, "A network according to claim 22, in which the network includes

a virtual private network (VPN) and

in which different combinations of seeds for constructing different sub-ranges of keys for decrypting data

give members of the virtual private network

different periods of access to the VPN.".

The teachings of Kambayashi et al suggest such limitations (figures 111-140 and associated descriptions, whereas the use of a seed/key based cryptographic security/licensing information content recording/distribution/reproduction apparatus and associated method such that content is broadcast across the Internet, or the like, to reception terminals, of which such Internet paths are inclusive of secure pathways (i.e., VPN's/Ipsec, etc.,), and clearly encompasses the claimed limitations as broadly interpreted by the examiner.).

22. As per claim 25, this claim is the apparatus for the method claim 1 above, and is rejected for the same reasons provided for the claim 1 rejection, as such; "A data carrier storing a plurality of data units encrypted for use in

a method according to claim 1.".

Art Unit: 2136

23. As per claim 11; "A method of encrypting data for distribution comprising:

(a) operating on

at least one root seed value with

one or more blinding functions, thereby producing a plurality of further values [figures 111-140 and associated descriptions, whereas the use of a seed/key based cryptographic security/licensing information content recording/distribution/reproduction apparatus and associated method such that cryptographic key regeneration via the key seed at the reception terminals is a function of multiple cryptographic algorithms, inclusive of hashing (i.e., blinding) functions, and clearly encompasses the claimed limitations as broadly interpreted by the examiner.];

(b) operating with

one or more blinding functions on

the further values produced by the preceding step or on values derived therefrom [figures 111-140 and associated descriptions, whereas the use of a seed/key based cryptographic security/licensing information content recording/distribution/reproduction apparatus and associated method such that cryptographic key regeneration via the key seed at the reception terminals is a function of multiple cryptographic algorithms, inclusive of hashing (i.e., blinding) functions, whereas the functions are clearly iterative (i.e., figures 134-138), and clearly encompasses the claimed limitations as broadly interpreted by the examiner.];

(c) iterating step (b) and thereby producing, by the or each iteration,

Art Unit: 2136

a next successive layer in a tree of values [figures 111-140 and associated descriptions, whereas the use of a seed/key based cryptographic security/licensing information content recording/distribution/reproduction apparatus and associated method such that cryptographic key regeneration via the key seed at the reception terminals is a function of multiple cryptographic algorithms, inclusive of hashing (i.e., blinding) functions, whereas the functions are clearly iterative (i.e., figures 134-138), and clearly encompasses the claimed limitations as broadly interpreted by the examiner.];

(d) encrypting

a plurality of data units using

a sequence of key values derived from .

one or more of the layers generated by step (c) [figures 111-140 and associated descriptions, whereas the use of a seed/key based cryptographic security/licensing information content recording/distribution/reproduction apparatus and associated method where the multimedia content clearly is formatted in a plurality of data units, and encryption at a per key per unit information, clearly encompasses the claimed limitations as broadly interpreted by the examiner.]."

- 24. As per claim 12; "A method of communicating data to a group of users comprising:
- (a) encrypting data for distribution [figures 111-140 and associated descriptions, whereas the use of a seed/key based cryptographic security/licensing information content recording/distribution/reproduction apparatus and associated method where the multimedia

content and broadcast to multiple reception terminals, clearly encompasses the claimed limitations as broadly interpreted by the examiner.];

(b) systematically and independently of group membership changes

changing a key used in encrypting the data for distribution [figures 111-140 and associated descriptions, whereas the use of a seed/key based cryptographic security/licensing information content recording/distribution/reproduction apparatus and associated method such that cryptographic key regeneration via the key seed at the reception terminals is such that the inclusive user/content identification/licensing information as applied to the seed key regeneration clearly produces a user terminal subset of the entire key space, and clearly encompasses the claimed limitations as broadly interpreted by the examiner.];

- (c) communicating the data to the users [figures 111-140 and associated descriptions, whereas the use of a seed/key based cryptographic security/licensing information content recording/distribution/reproduction apparatus and associated method such that content is broadcast to reception terminals, clearly encompasses the claimed limitations as broadly interpreted by the examiner.]; and
 - (d) at the users' terminals

decrypting the data, characterized by generating from

a number of initial seed values

a greater number of intermediate seed values, and deriving from the intermediate seed values

Art Unit: 2136 '

the plurality of keys used in encrypting the data for distribution [figures 111-140 and associated descriptions, whereas the use of a seed/key based cryptographic security/licensing information content recording/distribution/reproduction apparatus and associated method such that cryptographic key regeneration via the key seed at the reception terminals is such that the inclusive user/content identification/licensing information as applied to the seed key regeneration clearly produces a user terminal subset of the entire key space, and clearly encompasses the claimed limitations as broadly interpreted by the examiner.]."

25. Claim 13 *additionally recites* the limitation that, "A method according to claim 12, in which

every possible subset of the sequence of keys is derivable from a respective combination of seed values."

The teachings of Kambayashi et al suggest such limitations (figures 111-140 and associated descriptions, whereas the use of a seed/key based cryptographic security/licensing information content recording/distribution/reproduction apparatus and associated method such that cryptographic key regeneration via the key seed at the reception terminals is such that the inclusive user/content identification/licensing information as applied to the seed key regeneration clearly produces a user terminal subset of the entire key space, and clearly encompasses the claimed limitations as broadly interpreted by the examiner.).

Application/Control Number: 10/019,012

Art Unit: 2136

26. As per claim 18; "A method of distributing data comprising encrypting a plurality of data units each with one of a sequence of keys and

communicating the encrypted data units to

a plurality of user terminals, characterized

in that the sequence of keys is generated and allocated to application data units in accordance with a key construction algorithm, and

in that copies of the key construction algorithm are distributed to
a plurality of key managers so that, in use, receivers may
obtain keys for access to an arbitrary portion of the data
from

a key manager without reference to

any data sender or senders [figures 111-140 and associated descriptions, whereas the use of a seed/key based cryptographic security/licensing information content recording/distribution/reproduction apparatus and associated method such that cryptographic key regeneration via the key seed at the reception terminals is such that the inclusive user/content identification/licensing information as applied to the seed key construction algorithm(s) clearly produces a user terminal subset of the entire key space at various network nodes (plurality of key managers), and

Application/Control Number: 10/019,012

Art Unit: 2136

clearly encompasses the claimed limitations as broadly

Page 21

interpreted by the examiner.].".

27. As per claim 20, this claim is the means plus function for the method claim 18 above, and

is rejected for the same reasons provided for the claim 18 rejection, as such; "A key manager

comprising

means arranged to operate in accordance with the method of claim 18.".

28. As per claim 19; "A method of operating a user terminal comprising:

a) receiving

a plurality of data units encrypted with

a sequence of keys [figures 111-140 and associated descriptions, whereas the use of a seed/key based cryptographic security/licensing information content recording/distribution/reproduction apparatus and associated method where the multimedia content clearly is formatted in a plurality of data units, and encryption at a per key per unit information, clearly encompasses the claimed limitations as broadly interpreted by the examiner.];

b) receiving

one or more seed values [figures 111-140 and associated descriptions, whereas the use of a seed/key based cryptographic security/licensing information content

recording/distribution/reproduction apparatus and associated method such that

cryptographic key generation/regeneration information (i.e., the key seed) is broadcast to

reception terminals, clearly encompasses the claimed limitations as broadly interpreted by the examiner.];

c) generating from the one or more seed values

an arbitrarily doubly bounded key sequence larger in number than

the number of seeds received in step (b) [figures 111-140 and associated descriptions, whereas the use of a seed/key based cryptographic security/licensing information content recording/distribution/reproduction apparatus and associated method such that cryptographic key generation/regeneration information (i.e., the key seed) is broadcast to reception terminals, clearly encompasses the claimed limitations as broadly interpreted by the examiner.]; and

d) decrypting

the application data units using

the values generated in step (c) or values derived therefrom [figures 111-140 and associated descriptions, whereas the use of a seed/key based cryptographic security/licensing information content recording/distribution/reproduction apparatus and associated method such that cryptographic key regeneration via the key seed at the reception terminals is such that the inclusive user/content identification/licensing information as applied to the seed key regeneration clearly produces a user terminal subset of the entire key space, and clearly encompasses the claimed limitations as broadly interpreted by the examiner.]."

Application/Control Number: 10/019,012

Art Unit: 2136

29. As per claim 21, this claim is the means plus function for the method claim 19 above, and is rejected for the same reasons provided for the claim 19 rejection, as such, "A customer terminal comprising

means arranged to operate in accordance with the method of claim 19.".

Page 23

Response to Amendment

- 30. As per applicant's argument concerning the lack of teaching by Kambayashi et al of a sequence of keys effectively used for encryption of a sequence of units of information, the examiner has fully considered in this response to amendment; the arguments, and finds them not to be persuasive. The claim language (i.e., independent claim 1) is not directed to a sequence of unique keys, let alone the use of said keys on distinct information units in an explicit manor, just implicitly in a broad sense. The fact that the specification deals more explicitly with a sequence of unique keys does not render the requirement that the claim language not deal with this aspect more succinctly; just that said claim language is looked at in light of the specification. Therefore, the keys aspects of Kambayashi et al, consisting of a sequence of as few as a single key, used to encrypt multiple information units, as being *broadly interpreted by the examiner*, as per the claim language, would therefore be applicable in the rejection, such that said reference does not render the claim language limitations patently distinct.
- 31. As per applicant's argument concerning the lack of teaching by Kambayashi et al of generating more keys then the number of seeds transferred, the examiner has fully considered in this response to amendment; the arguments, and finds them not to be persuasive. In the case of a single unique seed generated and transferred to multiple stations (i.e., network nodes), the keys generated at the nodes inherently are so generated subsequently at the nodes properly addressed to receive the said seeds (i.e., the key so generated is inherently a function of the seed value and the fact that a legitimate node can/does generate the key from the seed). The fact that the specification deals with the more explicit case of ignoring the addressed target of the site of key

generation of a particular seed(s) without consideration of the target addressed node as a parameter in the key generation does not render the requirement that the claim language not deal with this aspect more succinctly; just that said claim language is looked at in light of the specification. Therefore, the generating more keys then the number of seeds transferred aspects of Kambayashi et al, consisting of a sequence of as few as a single seed, used for multiple addressed target nodes for said seed reception, as being *broadly interpreted by the examiner*, as per the claim language, would therefore be applicable in the rejection, such that said reference does not render the claim language limitations patently distinct.

32. As per applicant's argument concerning the lack of teaching by Kambayashi et al of a pseudo-random "sequence" of numbers generated versus a random number, the examiner has fully considered in this response to amendment; the arguments, and finds them not to be persuasive. The generation of true random numbers is clearly beyond the scope of the Kambayashi et al reference such that the generation is in fact a pseudo-random number per se, no matter what the reference refers to, as is clearly known in the art. The fact that the specification deals more explicitly with a pseudo-random "sequence" does not render the requirement that the claim language not deal with this aspect more succinctly, just that said claim language is looked at in light of the specification. Therefore, the pseudo-random "sequence" of numbers generated versus a random number, aspects of Kambayashi et al, as being *broadly interpreted by the examiner*, as per the claim language, would therefore be applicable in the rejection, such that said reference does not render the claim language limitations patently distinct.

Art Unit: 2136

33. As per applicant's argument concerning the lack of teaching by Kambayashi et al of bounded sequence, let alone a arbitrarily double bounded sequence, the examiner has fully considered in this response to amendment; the arguments, and finds them not to be persuasive. The use of any "arbitrary" (i.e., even a single key as a sequence of one) sequence as a predetermined sequence (again, even for the case of a single element) would inherently be double bounded as related to the sequence as so recited in the claim 1, as being *broadly* interpreted by the examiner, and does not render the claim language limitations patently distinct.

34. THIS ACTION IS MADE FINAL. Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the mailing date of this final action.

Conclusion

35. Any inquiry concerning this communication or earlier communications from examiner should be directed to Ronald Baum, whose telephone number is (571) 272-3861, and whose unofficial Fax number is (571) 273-3861. The examiner can normally be reached Monday through Thursday from 8:00 AM to 5:30 PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Ayaz Sheikh, can be reached at (571) 272-3795. The Fax number for the organization where this application is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. For more information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Ronald Baum

Patent Examiner

Page 27